
Our office is closed on Monday April 29th & Tuesday April 30th for Passover



Home > Products > ProX Truss > Mounting Accessories > Speaker Stud for Top Truss Plates

SKU: XT-SPST Permalink: http://www.proxdire Search on Google

Speaker Stud for Top Truss Plates



story

ProX XT-SPST Speaker Stud for Top Truss Plates

Description

The **ProX XT-SPST** top plate speaker stud firmly holds almost any speaker to the ProX top plate. Just attach your speaker stud with the included wing or allen head bolt and place the DJ or PA speaker mounting hole over the stud. No more worrying about speakers sliding off of a stand due to vibration. Get peace of mind while adding display value to your disc jockey or display setup with the ProX top plate speaker stud.

Make sure that an adequate sized base plate is used to prevent tipping and dangerous conditions. 24" x 24" minimum recommended.

Features

- ProX Aluminum Speaker Stud Mount
- Machined from EN-AWT6 6082 Aluminum
- ProX Branded
- Wing Bolt (Temporary)
- Allen Head Bolt (Permanent)

Exterior Dimensions & Weight 1.30"H x 1.30"W x 3.00"L - Weight: 1.80 lbs

Shipping Dimensions & Weight Box 1 of 1:3.00"H x 2.00"W x 2.00"L - Shipping Weight: 2.00 lbs

Suggested Shipping Method: Parcel

UPC 019372408369

Master Box QTY 24 pcs 5.00"H x 12.00"W x 13.00"L Shipping Weight: 44.00 lbs Number of Master Boxes: 1

