SKU: XT-SQ820


Permalink: http://www.proxdir

Search on Google

8.20 Ft. 2.50 M F34 Square Truss Segment | 2 mm Wall


Find A Dealer

Product Images



Download Product Images

Our Products And You



submit your story

ProX XT-SQ820 8.20 Ft. 2.50 M F34 Square Truss Segment | 2 mm Wall

Description

The **ProX XT-SQ820 Truss** is designed for high-frequency usage or installations, which demands higher loading. This trussing is Ideal for rental, touring, and exhibition companies. ProX is one of the most trusted truss manufacturers in the live entertainment industry and is engineered and manufactured to the highest standards of safety and performance. **ProX Live Performance Gear®** specializes in high-quality, general-purpose aluminum lighting and stage trussing in F31/F32/F34 and 12" bolted configurations designed for live stages, theaters, nightclubs, church installations, mobile applications, trade shows, and retail applications.

The **ProX Conical Coupling System** allows for genderless trusses, providing a more precise lineup of chords and fastening points, while the conical shape of the couplers helps maintain overall rigidity at the stress points and makes parts harder to damage. *This system also makes assembly/disassembly quick and easy, all you need is a small brass or aluminum hammer.* The XT-SQ series easily mates with most other brands of trusses of the same size and connector type and is available in a variety of lengths to suit your designs. Our outstanding quality control and manufacturing techniques assure excellent fitment at every connection to expedite your setups. We manufacture with **EN-AWT6 6082** Aluminum for safety and strength. The 2mm wall thickness assures durability and strength and can be used for spans up to 52.5 Ft. (16 M).

ProX **XT-SQ** series F34 trussing is a rugged and durable trussing solution perfect for live outdoor or indoor productions, exhibitions, retail displays as well as nightclubs, and other permanent installations. **ProX** also manufactures a comprehensive selection of trussing accessories including clamps, hanging & lifting points, spacers, box corners, mounting poles, base/top plates and much more to complete your ideas and make your design an impressive rigging project or a simple show booth. Always consult an engineer for complex designs!

ProX XT-SQ SERIES DIMENSIONS:

- Height: 11.42in / 290mm
- Width: 11.42in / 290mm
- Weight: 21lb/9,5kg per 3.28 ft / 1 meter
- Main Tube: 2in / 50mm
- Wall Thickness: .08in / 2mm
- Braces: .75in / 20mm

IMPORTANT: Always know your load weight for your equipment: XT-SQ Truss Loading Chart

---

Features

- **Manufactured to Exacting Specifications in our Own Factory!**
- **Actual Length: 8.2 ft (2.5 Meter) Square Truss Segment**
- **Actual Weight: 36 Lbs.**
- **Includes One Connecting Hardware Set**
- **Material: EN-AWT6 6082 Aluminum**
- **TUV Certified Aluminium Welding**

TÜV Rheinland® is a 3rd Party Certification Body and a Nationally Recognized Testing Laboratory (NRTL). **TÜV** provides inspections, testing, certification & training, with the ultimate objectives of reliability, safety & high quality.

ProX Truss products utilize industry standard dimensions to be compatible to connect to/ and work with many other manufacturers of F34 trussing products with conical connectors.

Exterior Dimensions & Weight
98.40"H x 12.00"W x 12.00"L - Weight: 36.00 lbs

Suggested Shipping Method: LTL

UPC
741459147303

Our Products and You

Submit your story

Commonly Asked Questions

+ **Where can I buy one?**

submit a question

Customer Testimonials

What did you think

Related Products



[9.84 Ft - 3.00 M F34 Square Truss Segment | 2 mm Wall]
SKU: XT-SQ984



[9.02 Ft 2.75 M F34 Square Truss Segment | 2 mm Wall]
SKU: XT-SQ920



[Power Connector Box for 4X Edison Power Outlet For Indoor Use - New Slim Design]
SKU: X-PWEX4BOX



[6.56 Ft - 2.00 M F34 Square Truss Segment | 2 mm Wall]
SKU: XT-SQ656



[4.92 Ft - 1.50 M F34 Square Truss Segment | 2 mm Wall]
SKU: XT-SQ492