Find A Dealer



SKU: XC-P	WC14-XLR03
Permalink:	http://www.proxdire

Search on Google

3' Ft Dual 14AWG Powerkon to Dual XLR Combo Link Jumper Cable

Product Images



Our Products And You



ProX XC-PWC14-XLR03 3' Ft Dual 14AWG Powerkon to XLR Combo Link Jumper Cable

Description

ProX XC-PWC14-XLR03 3' Ft Dual 14AWG Powerkon to Dual XLR Combo Link Jumper Cable. This cable is ideally used when you want to minimize running cables from Power and XLR Audio to the desired sources. It saves you time and it is conveniently paired together. Avoid messy cables when multiple XLR and power sources are needed. Each connecting side includes 2x PowerKon Connectors and 2x XLR Connectors.

93% braided OFC Copper Compact shield to reduce noise and protect pure sound transfer. Each cable is constructed with a compact cable diameter to decrease eddy currents.

Bending, Twisting, are no match for our high-performance tour-grade audio cables. They're designed to provide years of dependable sound reproduction and outlast every other cable on the market! Complete Coil technology demands consistent weave tolerances to create precise accuracy and detailed clarity. This is the most important part of the design and greatly affects performance.

PowerKon connector is a 3-conductor, locking power connector which provides a safer power connection than the IEC 60320 C13/C14 connectors commonly found on consumer audio components, computers, power adapters, and other devices. The twist connector mates the ground contact before connecting the neutral and line contacts, ensuring an electrically safe connection.

ProX cables are built with uncompromised quality with excellent performance at each connection **Instrument cables**, **Speaker cables**, **RCA cables**, **DMX cables**, **Power cables**, **and more**. Our cables are made for professionals, by professionals.

Features

- 14AWG PowerKon + XLR 20 AWG Oxygen-Free (OFC) Conductors
- · Black PVC Jacket for durability, flexibility, and low visibility on stage
- Cotton plus a tinned copper braid shield (85% coverage)
- Compact cable diameter to decrease eddy currents
- Polyethylene inner jacket
- Duofoil® (100% coverage)

Shipping Dimensions & Weight Box 1 of 1: 1.00"H x 3.00"W x 12.00"L - Shipping Weight: 1.00 lbs

Suggested Shipping Method: Parcel

Master Box QTY 10 pcs 6.00"H x 14.00"W x 14.00"L Shipping Weight: 9.00 lbs Number of Master Boxes: 1

Master Box QTY 50 pcs 15.00"H x 15.00"W x 29.00"L Shipping Weight: 42.00 lbs Number of Master Boxes: 5

Our Products and You

Submit your story

Commonly Asked Questions

+ Where can I buy one?

submit a question

Customer Testimonials

What did you think

Related Products



3' Ft Dual 14AWG Powerkon to Dual XLR Combo Link Jumper Cable SKU: XC-PWC14-XLR03



6' Ft Dual 14AWG Powerkon to Dual XLR Combo Link Jumper Cable SKU: XC-PWC14-XLR06



6 Ft. 14 AWG High Performance Power Cord NEMA 5-15 Edison to Blue Male for Power Connection compatible devices SKU: XC-PWCE14-06



10 Ft. 14 AWG High Performance Power Connection Link Grey Male to Blue Male for Power Connection compatible devices SKU: XC-PWC14-10



High Performance Male Connector Plug with Solder Point for XLR Mic Cable SKU: XC-XLRM-3P

Show More