



Home > Products > ProX Cables > Commercial Gaffer Tape > 3 Inch 180FT 60YD Hazardous Commercial Grade Gaffer Tape Pros Choice Non-Residue

SKU: XGF-360HAZARD

Permalink:

[Search on Google](#)

3 Inch 180FT 60YD Hazardous Commercial Grade Gaffer Tape Pros Choice Non-Residue

[Find A Dealer](#)

Product Images



[Download Product Images](#)

Our Products And You

[Submit your story](#)

ProX 3 Inch 180FT 60YD Hazardous Commercial Grade Gaffer Tape Pros Choice Non-Residue

Description

ProX XGF-360HAZARD 3 Inch 180FT 60YD Hazardous Commercial Grade Gaffer Tape Pros Choice Non-Residue. Designed with professionals in mind, this gaffer tape is perfect for use in Photography, Film, Theatre, TV Broadcasting, Stage Production, DJs, and other similar fields. It is ideal for securing cables, lighting fixtures, and props, among other things. The tape's superior grip ensures that it stays in place, even in high-stress situations.

One of the standout features of this tape is its water-resistant properties. This makes it perfect for outdoor use, as it can withstand rain, snow, and other forms of moisture. The tape's cloth construction also ensures that it leaves zero residues, making it easy to remove without damaging surfaces or leaving unsightly marks.

Why our tape is considered "The Pros Choice"

- Long-lasting and leaves no residue when removed
- Useful for temporarily securing cables or objects
- Versatile and has hundreds of uses for all industries
- Great for hiding logos, shiny objects, and more
- Easy rip cloth vinyl material – No Knife Needed

When it comes to reliable Gaffer tape, look no further than ProX brand commercial tapes. This tape comes in a variety of sizes and colors.

Finish: Hazardous
Temp. Range: 50° to 180°F
Thickness: 11.8 mil
Tensile Strength: 35.8 lb/in
Material: Natural Rubber Base (Solvent-Free)

NOTE: Tape should be stored in its original packaging in a cool, dry area away from direct sunlight and should be used within 12 months of the date of shipment. Surfaces to which tape is applied should be clean, dry, and free of grease, oil, or other contaminants. Surfaces should be as clean, dust-free, and dry as possible before application. While the surface of the tape is moisture-resistant the adhesive is not. The adhesive is pressure-sensitive, and heat activated. Make sure you really press it firmly into place when applying and get it as warm as possible to secure the adhesive. The dryer and warmer the installations are, the better the adhesive will attach.

Features

Features

- Hazard Finish
- Superior Tape Grip
- Non-Residue Adhesive
- Natural Base (Solvent-Free)
- Water-Resistant
- Non-Reflective Surfaced
- 11.8 mil Thickness

Exterior Dimensions & Weight

3.00"H x 6.50"W x 6.50"L - Weight: 3.50 lbs

Suggested Shipping Method: Parcel

UPC

804589619826

Master Box

QTY 12 pcs

7.00"H x 14.00"W x 20.00"L

Shipping Weight: 44.00 lbs

Number of Master Boxes: 1

Our Products and You

Submit your story

Commonly Asked Questions

Ask a question

Customer Testimonials

What did you think

Related Products



[3 Inch 180FT 60YD Matte Black Commercial Grade Gaffer Tape Pros Choice Non-Residue](#)

SKU: XGF-360BLK



[3 Inch 180FT 60YD Fluorescent Yellow Commercial Grade Gaffer Tape Pros Choice Non-Residue](#)

SKU: XGF-360FLY



[3 Inch 180FT 60YD Matte White Commercial Grade Gaffer Tape Pros Choice Non-Residue](#)

SKU: XGF-360W

