



Home > Products > ProX Truss > Blocks, Corners & Junctions > 6 Way Square Truss Junction Block - Includes 2 Way 8 Half Conical Couplers

SKU: XT-JB6W-2W

Permalink:

[Search on Google](#)

6 Way Square Truss Junction Block - Includes 2 Way 8 Half Conical Couplers

[Find A Dealer](#)

Product Images



[Download Product Images](#)

ProX XT-JB6W-2W 6 Way Square Truss Junction Block - Includes 2 Way 8 Half Conical Couplers

Description

The **ProX XT-JB6W-2W** Square Truss Junction Block is a universal connecting point for F34 trusses, and it's equipped with connecting hardware for use with **ProX XT F34** square truss components. It features 2" outer diameter tubing and 3/4" diagonal bracing. It has XT Series 3mm thick tube walls, this truss junction block is strong and can be used for many applications. It is built to the highest standards of safety and performance.

8 Half Conical couplers included, additional conical couplers can be added for more utility. [\(Sold Separately XT-CA-103\)](#)

At the heart of the system is square truss that utilizes a standard conical connector system, which easily mates with other brands of truss of the same size and connector style, and is available in a variety of lengths to suit your designs. It also works with different types of corners, base plates, connectors and accessories that add stability while expanding on limitless configurations.

Always know your load weight for your equipment: [VERY IMPORTANT - CLICK HERE for Truss Loading Chart.](#)

- **Tolerance Free Standard Conical connector**
- **Main tube wall thickness of .11in**

XT-SQ SERIES DIMENSIONS:

- Height: 11.42in / 290mm
- Width: 11.42in / 290mm
- Weight: 21lb per 3.28 ft / 9,5kg per meter
- Main Tube: 2in / 50mm
- Wall Thickness: .11in / 3mm
- Braces: .75in / 20mm

Includes connecting hardware set.

ProX Truss products utilize industry-standard dimensions to be compatible to connect to/with many other manufacturers trussing.

Features

- **Manufactured in our Own Factory!**
- **Material: FN-AWT6 6082 Aluminum**

- Material: EN AW-6062 Aluminium

- TUV Certified Aluminium Welding



TUV is a 3rd Party Certification Body and a Nationally Recognized Testing Laboratory (NRTL). TUV provides inspections, testing, certification & training, with the ultimate objectives of reliability, safety & high quality.

Exterior Dimensions & Weight

11.45"H x 11.45"W x 11.45"L - Weight: 17.00 lbs

Shipping Dimensions & Weight

Box 1 of 1: 12.00"H x 12.50"W x 12.50"L - Shipping Weight: 17.50 lbs

Suggested Shipping Method: Parcel

UPC

741459147365

Our Products and You

Submit Your Story

Customer Testimonials

What Did You Think

Commonly Asked Questions

Ask A Question

Related Products



[6 Way Square Truss Junction Block - Includes 4 Way 16 Half Conical Couplers](#)

SKU: XT-JB6W-4W



[6 Way Square Truss Junction Block - Includes 4 Way 16 Half Conical Couplers | Black Powder Coated | 3mm Wall](#)

SKU: XT-JB6W-4W-BLK



[Allen Key M12 Hex Tool for Truss Junction Box Couplers and more](#)

SKU: XT-ALLENKEY



8.20 Ft. 2.50 M F34 Square Truss Segment | 2 mm Wall

SKU: XT-SQ820



Square Truss Corner 2 Way 90 Degree Round

SKU: XT-SQ164-2W90-RC



[Show
More](#)