Find A Dealer



Home > Products > ProX Truss > F34 Conical Segments 2mm > Straight Segments, Pre-Rigging & Mobile Systems > > 8' FT Pre-Rig Rectangular Truss Segment with Removable Rolling Base System

SKU: XT-PRERIG8FT

Permalink: http://www.proxdire

Search on Google

8' FT Pre-Rig Rectangular Truss Segment with Removable Rolling Base System

Product Images



Download Product Images

Our Products And You

Submit your story

ProX XT-PRERIG-8FT 8' FT Pre-Rig Rectangular Truss Segment with Removable Rolling Base System

Description

ProX XT-PRERIG-8FT 8' Ft. Pre-Rig Rectangular Truss Segment with Removable Rolling Base System. This Pre-Rig Rectangular Truss Segment is a durable and versatile trussing system designed for professional use in the entertainment industry. This truss segment is made of high-quality T6-6052 Aluminum Alloy which provides excellent strength and rigidity.

One of the standout features of this truss segment is its side-loading system. This system allows a single technician to easily prep a section of truss in the shop prior to shipping. This means that the truss can be quickly and efficiently assembled on-site, saving time and reducing labor costs.

The side-loading system also makes it easy to attach lighting and audio equipment to the truss. The system provides a secure and stable mounting point for equipment, ensuring that it stays firmly in place from transport to performances, and events.

Overall, this Pre-Rig Rectangular Truss Segment is an excellent choice for professional lighting designers, event planners, and musicians. With its durable construction, versatile design, and easy-to-use side-loading system, this truss segment is an essential tool for creating stunning visual displays and stage backdrops.

MIN HEIGHT: 36"
MAX HEIGHT: 44"

2" TUBING

This package ships in (2) separate boxes:

Box 1: Truss Segment Section **Box 2:** Rigging Legs + Casters

Features

- · Includes Removable rolling base system
- · Provides stability during transport
- Ideal for Pre-Rigging Stage Lighting
- Made of high-quality T6-6052 Aluminum Alloy

Exterior Dimensions & Weight

WITH CONNECTORS: 24.00"H x 41.00"W x 101.00"L - Weight: 165.00 lbs NO CONNECTORS: 24.00"H x 41.00"W x 96.00"L - Weight: 125.00 lbs

Shipping Dimensions & Weight

Box 1 of 2: Rigging Legs + Casters 8.00"H x 10.00"W x 91.00"L - Shipping Weight: 115.00 lbs Box 2 of 2: Truss Segment Section 16.00"H x 26.00"W x 98.00"L - Shipping Weight: 60.00 lbs

Suggested Shipping Method: LTL

UPC

804589618317

Our Products and You

Submit your

Commonly Asked Questions

+ Where can I buy one?

submit a question

Customer Testimonials

What did you think

Related Products



8' FT Pre-Rig Truss Segment with Removable Rolling Base System BLACK SKU: XT-PRERIG8FTBLK



10' FT Pre-Rig Truss Segment with Removable Rolling Base System BLACK SKU: XT-PRERIG10FTBLK



10' FT Pre-Rig Rectangular Truss Segment with Removable Rolling Base System SKU: XT-PRERIG10FT



<u>5' FT Pre-Rig Rectangular Truss Segment with Removable Rolling Base System</u> SKU: XT-PRERIG5FT





5' FT Pre-Rig Truss Segment with Removable Rolling Base System BLACK SKU: XT-PRERIG5FTBLK