



Home > Products > ProX Truss > BoltX™ 12" Professional Bolt Segments 3mm > BoltX™ Accessories , Mounting Accessories > Aluminum Truss Shelf with Dual O-Style Pro Clamps 14"x16" Shelf Space Fit F34 Truss And Bolted 12"Box Truss

SKU: XT-SHELF MK2

Permalink: [Search on Google](#)

Aluminum Truss Shelf with Dual O-Style Pro Clamps 14"x16" Shelf Space Fit F34 Truss And Bolted 12"Box Truss

[Find A Dealer](#)

Product Images

[Download Product Images](#)

Our Products And You

[Submit your story](#)

ProX XT-SHELF MK2 Aluminum Truss Shelf with Dual O-Style Pro Clamps 14"x16" Shelf Space

Description

ProX **XT-SHELF MK2** Aluminum Truss Shelf W-2 Clamps is the best truss shelf on the market today. The XT-SHELF is made from heavy-duty aircraft aluminum and constructed to the highest safety ratings by certified welders. It comes with two pro slim clamps and is designed to hold up to 220 lbs. is the best truss shelf on the market today.

The XT-SHELF by ProX Direct is made to fit most brands F34 & F32 series 2" Conical Truss and has been updated to fit the 12" Bolt Truss Segments. It is designed with pre-cut holes and provides surface ventilation to help keep DJ lighting, moving heads, laptops or monitors cool at all times. It is the perfect solution for mobile DJs, bands, outdoor performances, night clubs, live mobile productions, and or permanent installations.

ProX XT-SQ series trussing is a rugged and durable trussing solution perfect for live outdoor or indoor productions, exhibitions, retail displays as well as nightclubs, and other permanent installations. ProX offers a wide variety of corners, base plates, connectors and accessories that allow limitless design configurations to suit your needs. *Always consult an engineer for complex designs!*

ProX XT-SQ SERIES DIMENSIONS:

- Height: 11.42in / 290mm
- Width: 11.42in / 290mm
- Weight: 21lb/9,5kg per 3.28 ft / 1 meter
- Main Tube: 2in / 50mm
- Wall Thickness: .08in / 2mm
- Braces: .75in / 20mm

IMPORTANT: Always know your load weight for your equipment: [XT-SQ Truss Loading Chart](#)

TUV is a 3rd Party Certification Body and a Nationally Recognized Testing Laboratory (NRTL).

TUV provides inspections, testing, certification & training, with the ultimate objectives of reliability, safety & high quality.

Features

- **Shelf Space: 14"x16"**
- **Made from T6-5052 Aluminum**

- **Dual Slim O-Style Pro Clamps**
- **Max Load 220 lbs**
- **Weight: 10.00 lbs**

Exterior Dimensions & Weight

3.00"H x 14.00"W x 16.14"L - Weight: 10.00 lbs

Shipping Dimensions & Weight

Box 1 of 1: 4.00"H x 19.00"W x 19.00"L - Shipping Weight: 11.00 lbs

Suggested Shipping Method: Parcel

UPC

019372406457

Our Products and You

Submit your story

Commonly Asked Questions

+ Where can I buy one?

[submit a question](#)

Customer Testimonials

What did you think

Related Products



[16" Aluminum 6mm Truss Base Plate for F34 F32 F31 Conical Square Truss with Connectors](#)

SKU: XT-BP16A



[50' Ft 110VAC Female 18AMP Power Cord 14AWG Extension Cable Power Cord](#)

SKU: XC-P141-50



[White 4.92ft 1.50 meter Lycra Cover Scrim Sleeve fits 12" Quad Box Truss Segment](#)

SKU: XTC-SQ492TS-W



[4.92 Ft - 1.50 M F34 Square Truss Segment | 2 mm Wall](#)

SKU: XT-SQ492



**Aluminum Pro Slim Hook Style M10 Clamp with Big Wing Knob for 2" Truss Tube
Capacity 330 Lbs.**

SKU: T-C5H
