



Home > Products > ProX Truss > Roofing Systems > Stage Roofing Packages > F34 Stage Roofing Truss System with Ground Support Speaker Wings and Chain Hoists – 32 x 30 x 32 Ft.

SKU: XTP-GS323023-P7D

Permalink:

[Search on Google](#)

F34 Stage Roofing Truss System with Ground Support Speaker Wings and Chain Hoists – 32 x 30 x 32 Ft.

[Find A Dealer](#)

Product Images



[Download Product Images](#)

Our Products And You

[Submit your story](#)

ProX XTP-GS32X30X32 F34 Stage Roofing Truss System with Ground Support Speaker Wings and Chain Hoists – 32 x 30 x 32 Ft.

Description

ProX **XTP-GS32X30X32** F34 Stage Roofing Truss System with Ground Support Speaker Wings and Chain Hoists –**32 x 30 x 32 Ft.** This Stage Roofing System is equipped with speaker wings, a premier solution designed to elevate your event production to new heights. This professional-grade system offers impressive dimensions of 32 feet in width, 30 feet in length, and 32 feet in height, complemented by six chain hoists for seamless lifting and support.

The expansive trussing area provides a substantial space capable of accommodating multi-person live bands and expansive DJ setups. Additionally, the system features Truss wings meticulously crafted to effortlessly suspend speakers and lighting fixtures.

Experience unparalleled versatility as you effortlessly hang lighting, curtains, video screens, and speakers from the sturdy truss system. The height adjustment capability allows for precise customization and optimal visual and audio impact. Furthermore, this system is easily scalable to cater to smaller staging requirements, ensuring flexibility for various event sizes.

The structural integrity of the stage roof trussing is engineered to withstand the demands of a diverse range of lighting and audio equipment. It ensures even distribution throughout the roofing system, guaranteeing a secure and stable setup.

Please note that for most installations, guy wires are required to enhance stability and safety.

Features

- **TUV Certified for safety, quality, and sustainability.**
- **Exacting Specifications – Manufactured in-house**
- **Tolerance-free conical connectors**
- **Strong truss main tube (0.08in / 2mm wall thickness)**
- **Impressive 1-ton load capacity per corner lift unit (4-ton total weight)**
- **Material: EN-AWT6 6082 Aluminum and welded steel**

Package Contents

- [XT-BLOCK-MK2](#) (4) Ground Support Sleeve Block for F34 Truss Segment Systems

- [XT-TOPCM](#) (4) Top Truss Section for Electric Motor or Manual Chain Hoist
- [XT-GSB MK3](#) (4) Universal Vertical Tower Truss Ground Support Base on Wheels with Leveling Jacks for F34, F44 and 12" Bolt truss
- [XT-GSOUTS3](#) (16) Single 3 Ft. Outrigger Support Brace for Leveling Ground Support Truss Tower Base
- [XT-HINGE](#) (16) Conical Tube Ground Support Post towers Male to Male Hinge Joint Fits F31 F32 F34
- [XT-SQ328](#) (4) 3.28 Ft - 1.00 M F34 Square Truss Segment | 2 mm Wall
- [XT-SQ820](#) (12) 8.20 Ft. 2.50 M F34 Square Truss Segment | 2 mm Wall
- [XT-SQ656](#) (8) 6.56 Ft - 2.00 M F34 Square Truss Segment | 2 mm Wall
- [XT-SQ7D](#) (8) 7 Degree F34 Square Truss Angle Connector | 2mm Wall
- [XT-JB6W-4W](#) (2) 6 Way Square Truss Junction Block - Includes 4 Way 16 Half Conical Couplers
- [XT-MCH1TX2-30FT](#) (2) Pair 1 Ton Manual Chain Hoist with 30 Ft (9 M) Chain for Stage Truss roof system and line array speakers
- [XT-F32-656](#) (12) 6.56 Ft. 2m F32 I-Beam Segment Truss 2mm Wall
- [XT-F32JBOX](#) (9) F32 6 Way Universal Box Junction | 3mm Wall
- [XT-F32-7D](#) (12) 7 Degree F32 Truss Corner
- [XT-CP-103P](#) (16) Truss Junction Box Connector Pack for One Side
- [XT-SPFF105](#) (20) Spacer 105mm Female Coupler
- [XT-SQ984](#) (8) 9.84 Ft - 3.00 M F34 Square Truss Segment | 2 mm Wall
- D-SUBTOTAL

Exterior Dimensions & Weight

XT-SQ984 (8): 118.08"H x 12.00"W x 12.00"L - Weight: 42.00 lbs
XT-JB6W-4W (2): 11.45"H x 11.45"W x 11.45"L - Weight: 17.00 lbs
XT-SQ7D (8): 11.42"H x 11.42"W x 10.00"L - Weight: 8.50 lbs
XT-SQ656 (8): 78.72"H x 11.42"W x 11.42"L - Weight: 31.00 lbs
XT-SQ820 (12): 98.40"H x 12.00"W x 12.00"L - Weight: 36.00 lbs
XT-SQ328 (4): 39.36"H x 11.42"W x 11.42"L - Weight: 19.00 lbs
XT-GSOUTS3 (16): 64.00"H x 2.00"W x 37.50"L - Weight: 29.00 lbs
XT-TOPCM (4): 11.50"H x 9.50"W x 24.00"L - Weight: 26.40 lbs
XT-BLOCK-MK2 (4): 18.50"H x 22.50"W x 22.50"L - Weight: 77.30 lbs

Shipping Dimensions & Weight

Box 1 of 15: XT-SQ984 (8 boxes) 14.00"H x 14.00"W x 120.00"L - Shipping Weight: 46.00 lbs
Box 2 of 15: XT-CP-103P (16 boxes) 2.00"H x 6.00"W x 4.00"L - Shipping Weight: 2.00 lbs
Box 3 of 15: XT-F32-7D (12 boxes) 12.00"H x 8.00"W x 8.00"L - Shipping Weight: 4.00 lbs
Box 4 of 15: XT-F32JBOX (9 boxes) 3.00"H x 12.00"W x 12.00"L - Shipping Weight: 6.00 lbs
Box 5 of 15: XT-F32-656 (12 boxes) 3.00"H x 12.00"W x 79.00"L - Shipping Weight: 13.00 lbs
Box 6 of 15: XT-MCH1TX2-30FT (2 boxes) 11.00"H x 19.00"W x 15.00"L - Shipping Weight: 104.00 lbs
Box 7 of 15: XT-JB6W-4W (2 boxes) 12.50"H x 12.50"W x 12.50"L - Shipping Weight: 17.50 lbs
Box 8 of 15: XT-SQ7D (8 boxes) 13.50"H x 11.00"W x 13.50"L - Shipping Weight: 10.00 lbs
Box 9 of 15: XT-SQ656 (8 boxes) 80.50"H x 13.00"W x 13.00"L - Shipping Weight: 35.00 lbs
Box 10 of 15: XT-SQ328 (4 boxes) 41.50"H x 12.50"W x 12.50"L - Shipping Weight: 21.00 lbs
Box 11 of 15: XT-HINGE (16 boxes) 2.00"H x 5.00"W x 5.00"L - Shipping Weight: 2.50 lbs
Box 12 of 15: XT-GSOUTS3 (16 boxes) 6.00"H x 8.00"W x 64.00"L - Shipping Weight: 34.00 lbs
Box 13 of 15: XT-GSB MK3 (4 boxes) 9.00"H x 29.00"W x 29.00"L - Shipping Weight: 70.00 lbs
Box 14 of 15: XT-TOPCM (4 boxes) 12.00"H x 10.00"W x 25.00"L - Shipping Weight: 28.00 lbs
Box 15 of 15: XT-BLOCK-MK2 (4 boxes) 20.00"H x 24.00"W x 24.00"L - Shipping Weight: 80.00 lbs

UPC

804589618737

Our Products and You

Submit your story

Commonly Asked Questions

+ Where can I buy one?

[submit a question](#)

Customer Testimonials

What did you think

