Find A Dealer

#### Our office is closed on Monday April 29th & Tuesday April 30th for Passover



Home > Products > ProX Truss > Roofing Systems > Stage Roofing Packages > F34 Stage Roofing Truss System with Ground Support and Chain Hoists - 20x20x23 Ft.

SKU: XTP-GS202023

Permalink: http://www.proxdire

Search on Google

# F34 Stage Roofing Truss System with Ground Support and Chain Hoists – 20x20x23 Ft.

**Product Images** 



**Our Products And You** 

Submit your story

ProX XTP-GS202023 F34 Stage Roofing Truss System with Ground Support and Chain Hoists – 20x20x23 Ft.

# Description

ProX XTP-GS202023 F34 Stage Roofing Truss System with Ground Support Speaker Wings and Chain Hoists –20x20x23 Ft. This Stage Roofing System is equipped with speaker wings, a premier solution designed to elevate your event production to new heights. This professional-grade system offers impressive dimensions of 30 feet in width, 20 feet in length, and 23 feet in height, complemented by six chain hoists for seamless lifting and support.

The expansive trussing area provides a substantial space capable of accommodating multi-person live bands and expansive DJ setups. Additionally, the system features Truss wings meticulously crafted to effortlessly suspend speakers and lighting fixtures.

Experience unparalleled versatility as you effortlessly hang lighting, curtains, video screens, and speakers from the sturdy truss system. The height adjustment capability allows for precise customization and optimal visual and audio impact. Furthermore, this system is easily scalable to cater to smaller staging requirements, ensuring flexibility for various event sizes.

The structural integrity of the stage roof trussing is engineered to withstand the demands of a diverse range of lighting and audio equipment. It ensures even distribution throughout the roofing system, guaranteeing a secure and stable setup.

Please note that for most installations, guy wires are required to enhance stability and safety.

- 16 Pcs XT-SQ984 9.84 Ft Truss Segment
- 4 Pcs XT-SQ328 3.28 Ft Truss Segment
- 4 Pcs XT-GSB MK2 Rigger Base, with extending legs
- 4 Sets XT-GSOUT3 3' Outrigger Brace Tubes (4) with clamps
- 4 Pcs XT-BLOCK Sleeve Block 4-Way Junction box
- 4 Pcs XT-TOPCM Truss Top with I-Beam mount with chain Pulley wheels
- 16 Pcs XT-HINGE Hinge block set
- 2 Sets XT-MCH1TX2-30FT Pair of 1 Ton Manual Chain Hoists W/30 Ft (9 M) Chain

ProX XT-SQ series trussing is a rugged and durable trussing package solution. Perfect for live outdoor or indoor productions, exhibitions, as well as nightclubs, and other permanent installations. **ProX Live Performance Gear®** offers a wide variety of single tubes, mounting plates, clamps and accessories that allow limitless design configurations to suit your needs. Always consult an engineer for complex designs!

- Height: 11.42in / 290mmWidth: 11.42in / 290mm
- Weight: 21lb/9,5kg per 3.28 ft / 1 meter
- Main Tube: 2in / 50mmWall Thickness: .08in / 2mmBraces: .75in / 20mm

IMPORTANT: Always know your load weight for your equipment: XT-SQ Truss Loading Chart

#### **Features**

- · TUV Certified for safety, quality, and sustainability.
- · Exacting Specifications Manufactured in-house
- · Tolerance-free conical connectors
- Strong truss main tube (0.08in / 2mm wall thickness)
- · Impressive 1-ton load capacity per corner lift unit (4-ton total weight)
- · Material: EN-AWT6 6082 Aluminum and welded steel

#### **Package Contents**

- XT-SQ984 (16) 9.84 Ft 3.00 M F34 Square Truss Segment | 2 mm Wall
- XT-MCH1TX2-30FT (2) Pair 1 Ton Manual Chain Hoist with 30 Ft (9 M) Chain for Stage Truss roof system and line array speakers
- XT-BLOCK-MK2 (4) Ground Support Sleeve Block for F34 Truss Segment Systems
- XT-TOPCM (4) Top Truss Section for Electric Motor or Manual Chain Hoist
- XT-GSB MK3 (4) Universal Vertical Tower Truss Ground Support Base on Wheels with Leveling Jacks for F34, F44 and 12" Bolt truss
- XT-SQ328 (4) 3.28 Ft 1.00 M F34 Square Truss Segment | 2 mm Wall
- XT-HINGE (16) Conical Tube Ground Support Post towers Male to Male Hinge Joint Fits F31 F32 F34
- XT-GSOUTS3 (16) Single 3 Ft. Outrigger Support Brace for Leveling Ground Support Truss Tower Base

#### **Exterior Dimensions & Weight**

XT-GSOUTS3 (16): 64.00"H x 2.00"W x 37.50"L - Weight: 29.00 lbs XT-SQ328 (4): 39.36"H x 11.42"W x 11.42"L - Weight: 19.00 lbs XT-TOPCM (4): 11.50"H x 9.50"W x 24.00"L - Weight: 26.40 lbs XT-BLOCK-MK2 (4): 18.50"H x 22.50"W x 22.50"L - Weight: 77.30 lbs XT-SQ984 (16): 118.08"H x 12.00"W x 12.00"L - Weight: 42.00 lbs

### **Shipping Dimensions & Weight**

Box 1 of 8: XT-GSOUTS3 (16 boxes) 6.00"H x 8.00"W x 64.00"L - Shipping Weight: 34.00 lbs
Box 2 of 8: XT-HINGE (16 boxes) 2.00"H x 5.00"W x 5.00"L - Shipping Weight: 2.50 lbs
Box 3 of 8: XT-SQ328 (4 boxes) 41.50"H x 12.50"W x 12.50"L - Shipping Weight: 21.00 lbs
Box 4 of 8: XT-GSB MK3 (4 boxes) 9.00"H x 29.00"W x 29.00"L - Shipping Weight: 70.00 lbs
Box 5 of 8: XT-TOPCM (4 boxes) 12.00"H x 10.00"W x 25.00"L - Shipping Weight: 28.00 lbs
Box 6 of 8: XT-BLOCK-MK2 (4 boxes) 20.00"H x 24.00"W x 24.00"L - Shipping Weight: 80.00 lbs
Box 7 of 8: XT-MCH1TX2-30FT (2 boxes) 11.00"H x 19.00"W x 15.00"L - Shipping Weight: 104.00 lbs
Box 8 of 8: XT-SQ984 (16 boxes) 14.00"H x 14.00"W x 120.00"L - Shipping Weight: 46.00 lbs

# Suggested Shipping Method: LTL

#### UPC

804589616276

# **Our Products and You**

Submit your story

# **Commonly Asked Questions**

+ Where can I buy one?

submit a question

# **Related Products**



Stage Roofing System 30'W x 30'L x 23'H - Incl 4 Chain Hoist

SKU: XTP-GS303023



Flat Stage Roofing System with 7 Ft Speaker Wings and 6 Chain Hoists | 20 Ft W x 20 Ft L x 23 Ft H

SKU: XTP-GS202023SPW



Flat Stage Roofing System with 7 Ft Speaker Wings and 6 Chain Hoists | 30 Ft W x 20 Ft L x 23 Ft H

SKU: XTP-GS302023SPW



12D Stage Roofing System with 7 Ft Speaker Wings and 6 Chain Hoists | 30 Ft W x 30 Ft L x 23 Ft H

SKU: XTP-GS303023-PR2-12D



12D PR3 Stage Roofing System with 7 Ft Speaker Wings and 6 Chain Hoists | 30 Ft W x 20 Ft L x 23 Ft H

SKU: XTP-GS302023-PR3-12D

Show More