



Home > Products > ProX Truss > Ground Support > Ground Support Bases > Fits F34 , Fits F44 > Ground Support Stabilizer Base Package With Extendable Outriggers for F34 and F44

SKU: XT-GSBXPKG

Permalink: [Search on Google](#)

Ground Support Stabilizer Base Package With Extendable Outriggers for F34 and F44

[Find A Dealer](#)

Product Images

[Download Product Images](#)

Our Products And You

[Submit your story](#)

ProX XT-GSBXPKG Ground Support Stabilizer Base Package With Extendable Outriggers for F34 and F44

Description

The **ProX XT-GSBXPKG** is a Package of a four-legged outrigger truss base that fits both F34 and F44 truss, with four diagonal aluminum bracing tubes. (Half Couplers are installed at the F34 position.) The outriggers are adjustable to one of two positions with a push-button release, the bracing tubes can be adjusted to accommodate the two positions by placement on the vertical trussing in the appropriate positions. (*Truss not included*).

In this package, you have everything you need for one complete leg in the building and flying a small to medium scale truss support for light to middle-level stage installations without lift hoist capability. You get:

- 26" Black Steel Rigger Base, with extending outriggers and adjustable feet
- 41" Outrigger Assist Tubes (4) with clamps

Always know your load weight for your equipment: [VERY IMPORTANT - CLICK HERE for Truss Loading Chart.](#)

- **Tolerance Free Standard Conical connector**
- **Main tube wall thickness of .08in**

XT-SQ SERIES DIMENSIONS:

- Height: 11.42in / 290mm
- Width: 11.42in / 290mm
- Weight: 21lb per 3.28 ft / 9,5kg per meter
- Main Tube: 2in / 50mm
- Wall Thickness: .08in / 2mm
- Braces: .75in / 20mm

ProX Truss is one of the most trusted staging support systems in the industry and is built to the highest standards of safety and performance. It's rugged yet lightweight trussing solution is perfect for mobile DJs, bands, outdoor performances, nightclubs, live mobile productions, or permanent installations.

All ProX Truss products are 100% compatible to connect to many other manufacturers using conical connectors, and are constructed to the highest safety ratings by certified welders!

Features

- **Manufactured to Exacting Specifications in our Own Factory!**
- **41" Aluminum Assist Tube with Clamp (EN-AWT6 6082 Aluminum)**
- **26" Black Steel Rigger Base, with extending outriggers and adjustable feet**
- **Tolerance Free Standard Conical Connectors**
- **Constructed to the highest safety ratings by certified welders!**
- **TUV Certified Aluminium/Steel Welding**



TUV is a 3rd Party Certification Body and a Nationally Recognized Testing Laboratory (NRTL). TUV provides inspections, testing, certification & training, with the ultimate objectives of reliability, safety & high quality.

ProX Truss products utilize industry-standard dimensions to be compatible to connect to/ and work with many other manufacturers' F34 trussing products with conical connectors.

Package Contents

- XT-GSBX (1)
- XT-GSOUTX (4)

Suggested Shipping Method: Parcel

UPC

019372412113

Our Products and You

Submit your story

Commonly Asked Questions

+ Where can I buy one?

[submit a question](#)

Customer Testimonials

What did you think

Related Products



Conical Tube Ground Support Post towers Male to Male Hinge Joint Fits F31 F32 F34
SKU: XT-HINGE

Top Truss Section for Electric Motor or Manual Chain Hoist

SKU: XT-TOPCM




Pair 1 Ton Manual Chain Hoist with 30 Ft (9 M) Chain for Stage Truss roof system and line array speakers

SKU: XT-MCH1TX2-30FT



3.28 FT 1M F34 Professional Ladder Truss Segment 3mm Tubing

SKU: XT-SQPL328



Universal Vertical Tower Truss Ground Support Base on Wheels with Leveling Jacks for F34, F44 and 12" Bolt truss

SKU: XT-GSB MK3



[Show More](#)
